PATENT COOPERATION TREATY

From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:	RICEVUTO RECEIVED		PCT			
PROVVISIONATO, Paolo et al. c/o Provvisionato & Co S.r.l. Piazza di Porta Mascarella, 7 I-40126 Bologna ITALIE	2 2 FEB. 2006 Provvisionato & C		NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT			
	-		(PCT Rule 71.1)			
		Date of r	f mailing onth/year) 20.02.2006			
Applicant's or agent's file reference PE643			IMPORTANT NOTIFICATION			
International application No. PCT/IT 03/00653	International filing date (da 22.10.2003	ay/month/ye	year) Priority date (day/month/year) 22.10.2003			
Applicant OFFICINE MACCAFERRI S.P.A.	et al. ·					

- The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

The applicant's attention is drawn to Article 33(5), which provides that the criteria of novelty, inventive step and industrial applicability described in Article 33(2) to (4) merely serve the purposes of international preliminary examination and that "any Contracting State may apply additional or different criteria for the purposes of deciding whether, in that State, the claimed inventions is patentable or not" (see also Article 27(5)). Such additional criteria may relate, for example, to exemptions from patentability, requirements for enabling disclosure, clarity and support for the claims.

Name and mailing address of the international preliminary examining authority:



European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465 **Authorized Officer**

Teichmann, I

Tel. +49 89 2399-2381



PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's PE643	or agent's file reference	FOR FURTHER AC		ation of Transmittal of International Examination Report (Form PCT/IPEA/416)
		International filing date (22.10.2003	day/month/year)	Priority date (day/month/year) 22.10.2003
nternation E01F7/04	•	c) or both national classification a	nd IPC	
Applicant OFFICIN	IE MACCAFERRI S.P.	A. et al.		
1. This	international preliminary nority and is transmitted t	examination report has been to the applicant according to the	n prepared by this I Article 36.	nternational Preliminary Examining
2. This	REPORT consists of a	total of 7 sheets, including th	is cover sheet.	
	been amended and are	ompanied by ANNEXES, i.e. set the basis for this report and/ ection 607 of the Administrati	br sheets containin	iption, claims and/or drawings which have g rectifications made before this Authority er the PCT).
The	se annexes consist of a t	total of 4 sheets.		
. This	report contains indication	ns relating to the following ite	ems:	
1	Basis of the opini	on '		
- 11	☐ Priority	0.1		
111	- '	nt of opinion with regard to no	velty, inventive ste	ep and industrial applicability
IV			,,	,,,,,,,
٧	Reasoned statem citations and exp	nent under Rule 66.2(a)(ii) wit Ianations supporting such sta	h regard to novelty tement	, inventive step or industrial applicability;
VI	☐ Certain documen	ts cited		
VII		the international application		
VIII	Certain observati	ons on the international appli	cation	And the second second
Date of sut	omission of the demand		Date of completion of	of this report
19.05.20	05		20.02.2006	
	mailing address of the interest examining authority:	national	Authorized Officer	gr ^{afiches Prione} n.
lie.	European Patent Office D-80298 Munich		Ritter, F	(a)
	Tel. +49 89 2399 - 0 Tx: Fax: +49 89 2399 - 4465		,	
		-	Telephone No. +49 !	19 / 1994-230 (

10/576593

IAP20 RESULTIO 21 APR 2006

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/IT 03/00653

	Rac	ie	Ωf	the	roi	aarl	ì
I.	Bas	iis.	OI.	ıne	rei	ווטכ	L

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	Des	cription, Pages	
	1-9		as originally filed
	Cla	ima Numbara	
	Cia	ims, Numbers	
	1-18	3	received on 30.09.2005 with letter of 27.09.2005
	Dra	wings, Sheets	
	1/5-	5/5	as originally filed
2.	With lang	n regard to the langu guage in which the int	age, all the elements marked above were available or furnished to this Authority in the ternational application was filed, unless otherwise indicated under this item.
	The	se elements were av	ailable or furnished to this Authority in the following language: , which is:
		the language of a tra	anslation furnished for the purposes of the international search (under Rule 23.1(b)).
		the language of publ	lication of the international application (under Rule 48.3(b)).
		the language of a tra Rule 55.2 and/or 55.	anslation furnished for the purposes of international preliminary examination (under 3).
3.	With inte	n regard to any nucle rnational preliminary	eotide and/or amino acid sequence disclosed in the international application, the examination was carried out on the basis of the sequence listing:
		contained in the inte	rnational application in written form.
		filed together with th	e international application in computer readable form.
		furnished subsequer	ntly to this Authority in written form.
		furnished subsequer	ntly to this Authority in computer readable form.
		The statement that t in the international a	he subsequently furnished written sequence listing does not go beyond the disclosure pplication as filed has been furnished.
		The statement that t listing has been furn	he information recorded in computer readable form is identical to the written sequence ished.
4.	The	amendments have r	esulted in the cancellation of:
		the description,	pages:
		the claims,	Nos.:
		the drawings,	sheets:

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/IT 03/00653

5.		This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)).						they have
		(Any replacement sheet contareport.)	ining s	such amendr	ments must be i	referred to unde	er item 1 and a	annexed to this
6.	Add	itional observations, if necessa	ıry:					
IV.	. Lac	k of unity of invention						
1.	In re	esponse to the invitation to rest	rict or	pay addition	al fees, the app	licant has:		
		restricted the claims.						
		paid additional fees.						
		paid additional fees under pro-	test.					
	\boxtimes	neither restricted nor paid add	itional	fees.				
2.		This Authority found that the requirement of unity of invention is not complied with and chose, according to Rule 68.1, not to invite the applicant to restrict or pay additional fees.						, according to
3.	This	is Authority considers that the requirement of unity of invention in accordance with Rules 13.1, 13.2 and 13.3						
		complied with.						
	\boxtimes	not complied with for the follow	ving re	asons:				
	see	separate sheet						
4.		onsequently, the following parts of the international application were the subject of international preliminary camination in establishing this report:						
		all parts.		•				
	\boxtimes	the parts relating to claims No	s. 1-12	2,15-18 .				
V.	Rea cita	soned statement under Artic tions and explanations supp	le 35(orting	2) with rega such statei	rd to novelty, i ment	inventive step	or industrial	applicability;
1.	Stat	ement						
	Nov	elty (N)	Yes: No:	Claims Claims	1-12,15-18			
	Inve	entive step (IS)	Yes: No:	Claims Claims	1-12,15-18			
	Indu	ustrial applicability (IA)	Yes: No:	Claims Claims	1-12,15-18			

2. Citations and explanations

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/IT 03/00653

see separate sheet

INTERNATIONAL PRELIMINARY EXAMINATION REPORT - SEPARATE SHEET

International application No. PCT/IT 03/00653

Re Item IV Lack of unity of invention

This Authority considers that there are 2 inventions covered by the claims indicated as follows:

- 1: Claims 1 to 12 and 15 to 18 directed to a protective wire net and its use
- II: Claims 13, 14 and 15 to 18 directed to a protective wire net and its use

The reasons for which the inventions are not so linked as to form a single general inventive concept, as required by Rule 13.1 PCT, are as follows:

Independent claim 1:

The prior art has been identified as document US-A-6 279 858 (D1) and discloses in fig. 8 a protective wire net according to the preamble of claim 1.

It follows that the following technical features of claim 1 make a contribution over the prior art and can be considered as special technical features within the meaning of Rule 13.2 PCT:

The protective wire net further comprises one or more longitudinal metal cables each intertwined or interlaced with at least one adjacent longitudinal wire.

The problem solved by these special technical features can therefore be construed as: A higher tensile strength of the net in the longitudinal direction is achieved, which enables protective structures to be constructed without additional cables superimposed on the net.

Independent claim 13:

The expression "intertwined or interlaced" in claim 13 has to be interpreted as also including the term "woven" (see fig. 4 of the application; wire 34 is woven into the net, but not bent around the longitudinal wires).

Due to this interpretation, document D1, which has been identified as closest prior art, discloses in fig. 8 read together with the passage in column 1, lines 12-44 and especially lines 32-36 a protective wire net according to the preamble of claim 13.

It follows that the following technical features of claim 13 make a contribution over the prior

art and can be considered as special technical features within the meaning of Rule 13.2 PCT:

The protective wire net further comprises anchoring means for anchoring one or more transverse wires and/or metal cables to one or more of the longitudinal wires.

The problem solved by these special technical features can therefore be construed as: Facilitating the connection of transverse wires and/or metal cables to the longitudinal wires.

Conclusion:

Neither the objective problem underlying the subjects of the claimed inventions, nor their solutions defined by the special technical features allow for a relationship to be established between the said inventions, which involves a single general inventive concept.

In conclusion, the groups of claims are not linked by common or corresponding special technical features and define 2 different inventions not linked by a single general inventive concept.

The application, hence does not meet the requirements of unity of invention as defined in Rules 13.1 and 13.2 PCT.

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Reference is made to the following documents:

D1: US-A-6 279 858

2. Independent claim 1:

Document D1, which is considered to represent the closest prior art, discloses in fig. 8 a protective wire net according to the preamble of claim 1. By the provision of longitudinal cables intertwined with at least one adjacent longitudinal wire, a higher tensile strength of the net in the longitudinal direction is achieved, which enables protective structures to be constructed without additional cables superimposed on the net.

D1 teaches a reinforcement of the net by straining stranded wires above the wire netting or by weaving stranded wires into the netting. An intertwining of the cable with

The subject-matter of claim 1 is new and inventive (Article 33(2) and 33(3) PCT).

3. Dependent claims 2 to 12 and 15 to 18:

an adjacent wire is not suggested.

Claims 2 to 12 and 15 to 18 show further embodiment of the wire net according to claim 1. Claims 15 to 18 relate to a protective structure including a wire net according to any of claims 1 to 12, and claim 18 to the use of a wire net according to any of claims 1 to 12.

Therefore, the subject-matter of these claims is considered to be new and inventive (Article 33(2) and 33(3) PCT).

Remarks:

Certain defects in the international application

Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the document D1 is not mentioned in the description, nor is this document identified therein.

Druckexemplar

10/5/6593^{IT0300653}

IAP20 Reside STATO 21 APR 2006

CLAIMS

- 1. A protective wire net comprising an array of longitudinal wires (12) arranged side by side and each intertwined with at least one respective adjacent longitudinal wire (12), characterized in that it further comprises one or more longitudinal metal cables (14) each intertwined or interlaced with at least one adjacent longitudinal wire (12).
- 2. A protective wire net according to Claim 1, characterized in that the one or more longitudinal metal cables (14) are interposed between the array of longitudinal wires (12).
- 3. A protective wire net according to Claim 2, characterized in that it comprises a plurality of the said longitudinal metal cables (14) arranged at regular intervals relative to one another and alternating with one or more wires (12).
- 4. A protective wire net according to any one of the preceding claims, characterized in that at least one of the longitudinal metal cables (14) defines an edge of the net.
- 5. A protective wire net comprising an array of longitudinal wires (12) arranged side by side and each intertwined with at least one respective adjacent longitudinal wire (12), characterized in that it further comprises one or more transverse wires (34) and/or metal cables (16) arranged in a transverse direction relative to the longitudinal wires (12) and outside intertwining regions (22) defined by portions (20) of adjacent longitudinal wires (12) which are bent around one another, the transverse wires (34) and/or metal cables (16) being intertwined or interlaced with one or more of the longitudinal wires (12).

- 5 6. A protective wire net according to any of the preceding one of Claims 1—to 4, characterized in that it further comprises the characteristics defined in Claim 5. one or more transverse wires (34) and/or metal cables (16) arranged in a transverse direction relative to the longitudinal wires (12) and outside intertwining regions (22) defined by portions (20) of adjacent longitudinal wires (12) which are bent around one another, the transverse wires (34) and/or metal cables (16) being intertwined or interlaced with one or more of the longitudinal wires (12).
- 7. A protective wire net according to Claim 6, characterized in that it comprises anchoring means (18) for anchoring one or more transverse wires (34) and/or metal cables (16) to one or more longitudinal wires (12) and/or longitudinal metal cables (14).
- 8. A protective wire net according to any one of Claims 1 to 7, characterized in that the anchoring means (18) comprise at least one ring or eye, or a portion of longitudinal and/or transverse cable (14, 16) that is bent and secured to itself in order to form a loop-like element (42), which is provided on the longitudinal and/or transverse metal cables (14, 16) and through which at least one longitudinal wire (12) or one longitudinal or transverse metal cable (14, 16) extends.
- 6 9. A protective wire net according to any one of Claims 5 $\frac{6}{100}$ to $\frac{1}{100}$, characterized in that the transverse cables (16) comprise bent portions of the longitudinal cables (14).
- 9. A protective wire net according to claim 8, characterized in that it further comprises coupling means (42) so as to couple, in use, the wire net to other

protective wire nets.


- 10. A protective wire net according to claim 9, characterized in that the coupling means comprises one of the following elements: rings, clips, cables, or equivalent means.
- 11. A protective wire net according to claim 9, characterized in that the coupling means comprises coupling elements formed directly on one or more transverse cables (16).
- 12 10. A protective wire net according to any one of the preceding claims, characterized in that it is a double-twist net with hexagonal meshes.
- 13. protective wire net comprising anarray of longitudinal wires (12) arranged side by side and each intertwined with at least one respective longitudinal wire (12), one or more transverse wires (34) and/or metal cables (16) arranged in a transverse direction relative to the longitudinal wires (12), the transverse wires (34) and/or metal cables (16) being intertwined or interlaced with one or more of the longitudinal wires (12), characterized in that it further comprises anchoring means (18) for anchoring one or more transverse wires (34) and/or metal cables (16) to one or more of the longitudinal wires (12).
- 14. A protective wire net according to claim 13, characterized in that the anchoring means (18) comprise at least one ring or eye, or a portion of longitudinal and/or transverse cable (14, 16) that is bent and secured to itself


12bis

in order to form a loop-like element (42), which is provided on the longitudinal and/or transverse metal cables (14, 16) and through which at least one longitudinal wire (12) or one transverse metal cable (14, 16) extends.

- 15 11. A protective structure, characterized in that it comprises at least one protective wire net (10) according to any one of Claims 1 to 14 10 and fixing means for fixing the net to a slope.
- 16 12. A protective structure according to Claim 15 11, characterized in that it comprises at least two of the said protective wire nets (10) joined together by coupling means (42).
- 17 $\frac{13}{13}$. A protective structure according to Claim 16 $\frac{12}{12}$, characterized in that the coupling means comprise at least one longitudinal and/or transverse metal cable (14, 16).
- 18 ± 4 . Use of a protective wire net according to any one of Claims 1 to 14 ± 0 for the construction of a protective structure according to any one of Claims 15 ± 1 to 17 ± 3 .

Inventor(s): Francesco FERRAIOLO
Serial No.: Unknown
Docket No.: 5405.P0027US





Inventor(s): Francesco FERRAIOLO
Serial No.: Unknown
Docket No.: 5405.P0027US

2/5






FIG.3



Inventor(s): Francesco FERRAIOLO
 Serial No.: Unknown
 Docket No.: 5405.P0027US



Title: PROTECTIVE WIRE NET, A PROTECTIVE STRUCTURE CONSTRUCTED WITH THE NET AND THE USE OF THE PROTECTIVE WIRE NET FOR THE CONSTRUCTION OF A PROTECTIVE STRUCTURE

Inventor(s): Francesco FERRAIOLO
Serial No.: Unknown
Docket No.: 5405.P0027US

4/5




FIG.8

Title: PROTECTIVE WIRE NET, A PROTECTIVE STRUCTURE CONSTRUCTED WITH THE NET AND THE USE OF THE PROTECTIVE WIRE NET FOR THE CONSTRUCTION OF A PROTECTIVE STRUCTURE

5/5

